





ROMBOS



Folding Glass Door System

Γυάλινα Πτυσσόμενα Συστήματα







**Τεχνικά χαρακτηριστικά:**

Ολικό ύψος: 320 cm  
Μέγιστο πλάτος φύλλου: 120 mm  
Μέγιστο βάρος φύλλου: 150 Kg  
Μέγιστο πλάτος πόρτας: 100 cm

**Technical Characteristics :**

Total height : 320 cm  
Max sash width : 120 mm  
Max sash weight : 150 Kg  
Max door width : 100 cm



ROMBOS




Ο οδηγός των φύλλων έχει εξωτερική διάσταση 86mm x 80mm και πάχος τοιχωμάτων 6mm. Η συγκράτηση των φύλλων γίνεται από προφίλ αλουμινίου ύψους 116mm και πάχους τοιχωμάτων 4mm. Η ολίσθηση επιτυγχάνεται με ειδικά σχεδιασμένα ράουλα των οποίων τα μεταλλικά μέρη καθώς και ο πείρος συγκράτησης είναι κατασκευασμένα από ανοξείδωτο χάλυβα. Οι υαλοπίνακες που χρησιμοποιούνται είναι 10mm float ευρωπαϊκής προέλευσης και έχουν τροχιστεί, τρυπηθεί και ψηθεί (securit) από το εξειδικευμένο προσωπικό μας. Το φινιρίσμα είναι άψογο χάρη στο ελαφρώς στρογγυλεμένο προφίλ κάλυψης μπάζας και στις απεριόριστες επιλογές χρωμάτων τύπου Polydrox, Ral. Σε παρακαταθήκη οι ανοδοιώσεις. Το σύστημα πτυσσόμενων ανεξαρτήτων φύλλων ROMBOS GLASS υποστηρίζει πόρτα ανοιγόμενη στη μέση της κατασκευής τύπου (S.O.C.) χάρη στον μηχανισμό επαναφοράς οροφής τύπου Geze Boxer, και το ειδικά σχεδιασμένο προφίλ ύψους 35mm και πάχους τοιχωμάτων 10mm!!

ΜΕΘΟΔΟΙ PARKING

METHODS OF PARKING



The dimension of the top track rail is 86mm x 80mm and its thickness is 6mm. The stabilization of the sheets is being achieved with aluminum profile. Its height is 116mm and its thickness is 4mm. The movement is being achieved by specially designed wheels. The metallic parts of the wheels and the retaining pin are made of stainless steel. The glasses that are used are 10mm float of European origin and they have been under special process in order to be tempered (securit) by our qualified staff. The finish is excellent due to the slightly rounded edges of the cover profile and due to the unlimited range of colors (RAL, Polydrox). At the folding door system of ROMBOS GLASS, we can also construct opening sliding door (S.O.C.), thanks to the swing door system of GEZE that we use. Its unique operator height of just 35mm, allows an almost invisible application.



ROMBOS



ΡΟΜΒΟΣ GLASS A.E.

10ο ΧΑΜ.Π.Ε.Ο. ΘΕΣ/ΝΙΚΗΣ-ΚΙΛΚΙΣ,

Τ.Κ. 57008 ΙΩΝΙΑ

ΤΗΛ. 2310 781200, 2310 781300

FAX 2310 781400

[info@rombosglass.com](mailto:info@rombosglass.com)

[www.rombosglass.com](http://www.rombosglass.com)